LIN	NSWER BOOKLET VRET DE RÉPONSES JADERNILLO DE RESPUESTAS PAGES / PÁGINAS	B	International Baccalaureate <sup>°</sup> Baccalauréat International Bachillerato Internacional
At de la	the start of each answer to a question, write the question number in the box. / Avant de répondre a question que vous allez traiter dans la case prévue à cet effet. / Al comienzo de cada respuesta, Example Exemple 27 2 7 Example 3 Ejemplo 27 2 7 Exemple 3 Ejemplo	e à une que escriba el 1 3	estion, veuillez écrire le numéro número de pregunta en la casilla.
2	Depression is a universal mental disorder Unacceptable to fall to it. The prevale Depression can versity depending on the that an individual bas been living the what they are reffered to as are the o	nce Gugh cugh	cate of #2. conditions Triggers as s/points that
2	can cause a individual to become dep Origins of these triggers can be the genetic, and exposure to conditions a disappointment. Between genders, social, economic status there is a difference in the prevelance rate taken by National Institute of Mental Hellith sh	F lone F lone s, age of D bwed	to cultural, z term stress and e and others, epression, Surveys that women
2	shown to that depression, including people end of that spectrum, high economic status people	nomic e cn pe f ges h cor t of	status, are <u>the opposite</u> <u>ove also suppyed</u> <del>petween 18</del> <u>rate of</u> <u>in 2003</u> <u>the 5-117 gene</u> <del>the 5-117 gene</del> <del>the 5-117 gene</del>
	the catagories mentioned that are the cause can over lap, it is a overall combination e not just one in most cases in volking depress	e for o	n individual

-2-

2 Serotonin hypothesis outlined suggests that there is a earth When between the levels of scratoph being realsed and the prevalence rate for depedepression. A study done on recaderinalise which was the similar to a study on section only differences is the drug used to cause noradrinaline levels to charge. Results from the studies were similar. The study had Four groups one group would receive a drug to lower their level of scretonin, graup two reclude a drag to raise scretonin lovels. third group recived a place by drug and the knoth group 2 had non-drug therapy used, Over a 12 week period the mestal monitord with the facus being on health sof patients were depression. The group that had rectived drug to lower Scratenin levels experience extremely negative side effects one of which was sudicident tendencies. High there levels are scrobnin should be fine and did nut display or express feellings OF depression. However the study was conciden highly enethical 2 Over the lower seroton in levels side effects. In the Falcor model the percy. the percurse of being caused by a genetic predisposition is about 30% while Cabout 63% is environmental and the remaining 5% contributed to other factors. Genetic predisposition could be having the 5HTT gene compared to some not have it, or other family retinedical history retited ISSUE Environmental factors combe these mention gender ecoporal preserver on & all Content 2 sectal status prevalence rate ran he contributed The Depression Mab Keeters that an lead esta individu numericaus Feeling depressed. Prevalence can be caused by genetics, cultural, society, and others. Although Depression may here a high preventence rete tol)s docso h